



HPD UNIQUE IDENTIFIER: 1458981888

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT DESCRIPTION: This HPD Covers the Ilshin LVT (Luxury Vinyl Tile) model lines of Loose Lay LVT, Click LVT, and Dryback. Ilshin LVT model lines of Loose Lay LVT, Click LVT and Dryback LVT are Phthalate free with recycled raw material compositions for commercial & residential use. Easy to maintain and excellent durability.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input type="radio"/> Nested Materials Method <input checked="" type="radio"/> Basic Method	<input type="radio"/> 100 ppm <input checked="" type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other	<input checked="" type="radio"/> Completed <input type="radio"/> Partially Completed <input type="radio"/> Not Completed Explanation(s) provided : <input checked="" type="radio"/> Yes <input type="radio"/> No	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No Provided weight and role. Screened <input checked="" type="radio"/> Yes <input type="radio"/> No Provided screening results using HPDC-approved methods. Identified <input checked="" type="radio"/> Yes <input type="radio"/> No Provided name and CAS RN or other identifier.
Threshold Disclosed Per			
<input type="radio"/> Material <input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ACEFLOOR LVT | LIMESTONE; CALCIUM CARBONATE (CALCIUM CARBONATE, NATURAL) BM-3dg | POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2) LT-P1 | MAM | POLYVINYL CHLORIDE (PVC) (PVC SCRAP CHIPS) LT-P1 | MAM | POLYVINYL CHLORIDE (PVC) (POLYVINYL CHLORIDE (PVC)) LT-P1 | MAM | BIS(2-ETHYLHEXYL) TEREPHTHALATE (BIS(2-ETHYLHEXYL) TEREPHTHALATE) BM-3dg | BARIUM DISTEARATE (CALCIUM DISTEARATE) LT-UNK | SKI | EYE | MAM | ZINC STEARATE (ZINC STEARATE) LT-UNK | AQU | CALCIUM STEARATE (CALCIUM STEARATE) LT-UNK | 2-(ACRYLOYLOXY)ETHANOL (2-(ACRYLOYLOXY)ETHANOL) LT-P1 | SKI | MUL | AQU | MAM | EYE | PARAFFIN (PARAFFIN) LT-UNK | MAM | TRIPROPYLENE GLYCOL DIACRYLATE (TRIPROPYLENE GLYCOL DIACRYLATE) LT-P1 | SKI | MUL | EYE | AQU]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Ilshin worked with the Third Party Preparer, ToxServices, to confirm that all residuals and impurities have been considered under this HPD. ToxServices worked with Ilshin suppliers to verify full disclosure on residual/impurities that may be present in the final formulation at 1,000 ppm or >. Per the supplier disclosure, ToxServices determined that no residuals or impurities are present in the final Ilshin formulation at > 1,000 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore
: Environmental Product Declaration (EPD) by SCS

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared
VERIFIER: SCS Global Services
VERIFICATION #: qGE-3106

SCREENING DATE: 2024-03-06
PUBLISHED DATE: 2024-03-06
EXPIRY DATE: 2027-03-06

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ACEFLOOR LVT

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Ilshin worked with the Third Party Preparer, ToxServices, to confirm that all residuals and impurities have been considered under this HPD. ToxServices worked with Ilshin suppliers to verify full disclosure on residual/impurities that may be present in the final formulation at 1,000 ppm or >. Per the supplier disclosure, ToxServices determined that no residuals or impurities are present in the final Ilshin formulation at > 1,000 ppm.

OTHER PRODUCT NOTES: This current HPD covers the following multiple Ilshin product models: Loose Lay LVT; Click LVT, and Dryback.

LIMESTONE; CALCIUM CARBONATE (CALCIUM CARBONATE, NATURAL)

ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-03-06 21:50:34

%: 40.7284 - 40.7284

GreenScreen: **BM-3dg**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2)

ID: 93050-82-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-03-06 21:50:34

%: 29.3500 - 36.8300

GreenScreen: **LT-P1**

RC: **PostC**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

MAM

GHS - Japan

H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

MAM

GHS - Japan

H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: PVC Scrap Powder is sourced from reclaimed Luxury Vinyl Tiles from demolished buildings. Every time the product is shipped to the factory it is subjected to Specific Gravity and Heavy Metal Content testing according to ASTM F 963.

POLYVINYL CHLORIDE (PVC) (PVC SCRAP CHIPS)

ID: 9002-86-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-06 21:50:35**

%: **12.6100 - 24.6900** GreenScreen: **LT-P1** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: PVC Scrap Chips are generated internally from the production of the Luxury Vinyl Tiles.

POLYVINYL CHLORIDE (PVC) (POLYVINYL CHLORIDE (PVC))

ID: 9002-86-2

%: **8.3250 - 17.2282** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES:

BIS(2-ETHYLHEXYL) TEREPHTHALATE (BIS(2-ETHYLHEXYL) TEREPHTHALATE)ID: **6422-86-2**%: **3.1750 - 5.4237** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

SUBSTANCE NOTES: The GreenScreen Score of Benchmark 3 was assessed by the the CPA GreenScreen Profiler, ToxServices LLC, and was given to Healthy Building Network for them to use in their Pharos online tool.

BARIUM DISTEARATE (CALCIUM DISTEARATE)ID: **6865-35-6**%: **0.0980 - 0.3960** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - New Zealand	Acute oral toxicity category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES:

ZINC STEARATE (ZINC STEARATE)

ID: 557-05-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-06 21:50:34		
#: 0.0875 - 0.2304	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products		

SUBSTANCE NOTES:

CALCIUM STEARATE (CALCIUM STEARATE)

ID: 1592-23-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-06 21:50:35		
#: 0.0000 - 0.2160	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

2-(ACRYLOYLOXY)ETHANOL (2-(ACRYLOYLOXY)ETHANOL) ID: **818-61-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-06 21:50:35**

%: **0.0774 - 0.1204** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H310 - Fatal in contact with skin [Acute Toxicity (dermal) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

PARAFFIN (PARAFFIN)

ID: **8002-74-2**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-03-06 21:50:35**

#: 0.0000 - 0.1080

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

TRIPROPYLENE GLYCOL DIACRYLATE (TRIPROPYLENE GLYCOL DIACRYLATE)

ID: **42978-66-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-06 21:50:36**

#: 0.0645 - 0.1075

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCl FloorScore	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-05-01 00:00:00	CERTIFIER OR LAB: SCS Global Services
APPLICABLE FACILITIES: 223-14 Cheonui-ri, Jeongmomyeon Dangjin-si Chungcheongnam-do, Republic of Korea	EXPIRY DATE: 2024-04-30 00:00:00	
CERTIFICATE URL: https://www.scsglobalservices.com/certified-clients/certificates/16009		
CERTIFICATION AND COMPLIANCE NOTES: Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0. Registration # SCS-FS-03603 Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017) Registration # SCS-FS-03603		

LCA	Environmental Product Declaration (EPD) by SCS	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-10-14 00:00:00	CERTIFIER OR LAB: SCS Global Services
APPLICABLE FACILITIES: Ilshin Chemical Co. 133 Sanggusil-ro, Jeongmi-myeon, Dangjin-si, Chungcheongnam-do, Korea, 31800	EXPIRY DATE: 2027-10-13 00:00:00	
CERTIFICATE URL: https://cdn.scs-certified.com/products/cert_pdfs/SCS-EPD-08314_Ilshin_AceFloor_101422.pdf		
CERTIFICATION AND COMPLIANCE NOTES: SCS-EPD-08314. PCR Guidance for Building-Related Products and Services Part A: Life Cycle Assessment Calculation Rules and report Requirements: Version 3.2 UL Environment. December 2018.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Ilshin worked with the Third Party Preparer, ToxServices, to confirm that all residuals and impurities have been considered under this HPD. This current HPD covers the following multiple Ilshin product models: Loose Lay LVT; Click LVT, and Dryback.

MANUFACTURER INFORMATION

MANUFACTURER: **ILSHIN CHEMICAL INC.**
 ADDRESS: **133 Sanggusil-ro, Jeongmi-myeon**
Dangjin-si, Chungcheongnam-do 31800
 COUNTRY: **Korea**

WEBSITE: **www.acefloor.co.kr**
 CONTACT NAME: **Young C. Yang**
 TITLE: **Managing Director**
 PHONE: **+82-2-714-7100**
 EMAIL: **young@acefloor.co.kr**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

